

Opti 501**Solutions**

Problem 34)

a) $\vec{\nabla} \cdot (\psi \vec{A}) = \frac{\partial}{\partial x} (\psi A_x) + \frac{\partial}{\partial y} (\psi A_y) + \frac{\partial}{\partial z} (\psi A_z) =$
 $(A_x \frac{\partial \psi}{\partial x} + \psi \frac{\partial A_x}{\partial x}) + (A_y \frac{\partial \psi}{\partial y} + \psi \frac{\partial A_y}{\partial y}) + (A_z \frac{\partial \psi}{\partial z} + \psi \frac{\partial A_z}{\partial z}) =$
 $(A_x \frac{\partial \psi}{\partial x} + A_y \frac{\partial \psi}{\partial y} + A_z \frac{\partial \psi}{\partial z}) + \psi \left(\frac{\partial A_x}{\partial x} + \frac{\partial A_y}{\partial y} + \frac{\partial A_z}{\partial z} \right) =$
 $\vec{A} \cdot (\vec{\nabla} \psi) + \psi (\vec{\nabla} \cdot \vec{A}) \quad \checkmark$

b) $\vec{\nabla} \cdot (\vec{A} \times \vec{B}) = \frac{\partial}{\partial x} (A_y B_z - A_z B_y) + \frac{\partial}{\partial y} (A_z B_x - A_x B_z) + \frac{\partial}{\partial z} (A_x B_y - A_y B_x) =$
 $\left(B_z \frac{\partial A_y}{\partial x} + A_y \frac{\partial B_z}{\partial x} - B_y \frac{\partial A_z}{\partial x} - A_z \frac{\partial B_y}{\partial x} \right) +$
 $\left(B_x \frac{\partial A_z}{\partial y} + A_z \frac{\partial B_x}{\partial y} - B_y \frac{\partial A_x}{\partial y} - A_x \frac{\partial B_y}{\partial y} \right) + \left(B_y \frac{\partial A_x}{\partial z} + A_x \frac{\partial B_y}{\partial z} - B_z \frac{\partial A_y}{\partial z} - A_y \frac{\partial B_z}{\partial z} \right) =$
 $B_z \left(\frac{\partial A_y}{\partial x} - \frac{\partial A_x}{\partial y} \right) + B_y \left(\frac{\partial A_z}{\partial x} - \frac{\partial A_x}{\partial z} \right) + B_x \left(\frac{\partial A_y}{\partial z} - \frac{\partial A_z}{\partial y} \right) + A_y \left(\frac{\partial B_z}{\partial x} - \frac{\partial B_x}{\partial z} \right) + A_x \left(\frac{\partial B_y}{\partial z} - \frac{\partial B_z}{\partial y} \right) =$
 $\vec{B} \cdot (\vec{\nabla} \times \vec{A}) - \vec{A} \cdot (\vec{\nabla} \times \vec{B}) \quad \checkmark$